

別府医療センター登録レジメン一覧

癌種	レジメン名	使用薬剤
大腸癌	mFOLFOX6/2w	L-OHP85(d1)+5FU400/2400(d1)+LV200(d1)
	mFOLFOX6+Bev/2w	L-OHP85(d1)+5FU400/2400(d1)+LV200(d1)+Bev5mg/kg(d1)
	mFOLFOX6+Cetuximab/2w	L-OHP85(d1)+5FU400/2400(d1)+LV200(d1)+Cmab400or250(d1.8)
	mFOLFOX6+Panitumumab/2w	L-OHP85(d1)+5FU400/2400(d1)+LV200(d1)+Pmab6mg/kg(d1)
	XELOX/3w	Capecitabine(d1-14)+L-OHP130(d1)
	XELOX+Bev/3w	Capecitabine(d1-14)+L-OHP130(d1)+Bev7.5mg/kg(d1)
	SOX+Bev/3w	S-1(d1-14)+L-OHP130(d1)+Bev7.5mg/kg(d1)
	SOX+Cetuximab/3w【臨床試験:KSCC 1002】	Cmab400or250(d1.8,15)+L-OHP130(d1)+S-1(d1-14)
	FOLFIRI/2w	CPT-11 150(d1)+5FU400/2400(d1)+LV200(d1)
	FOLFIRI+Bev/2w	CPT-11 150(d1)+5FU400/2400(d1)+LV200(d1)+Bev5mg/kg(d1)
	FOLFIRI+Cetuximab/2w	CPT-11 150(d1)+5FU400/2400(d1)+LV200(d1)+Cmab400 or 250(d1.8)
	FOLFIRI+Panitumumab/2w	CPT-11 150(d1)+5FU400/2400(d1)+LV200(d1)+Pmab6mg/kg(d1)
	3wIRIS/3w	S-1(d1-14)+CPT-11 150(d1)
	Cetuximab/1w	Cmab400 or 250(d1)
	Cetuximab+CPT-11療法/2w	Cmab400or 250(d1.8)+CPT-11 150(d1)
	Cetuximab+S-1療法【臨床試験:KSCC0901】	Cmab+S-1
	Panitumumab/2w	Pmab6mg/kg(d1)
	Capecitabine+Bev/3w	Capecitabine(d1-14)+Bev7.5mg/kg(d1)
	FOLFIRI+Ramucirumab/2w	CPT-11 150(d1)+5FU400/2400(d1)+LV200(d1)+Ramucirumab8mg/kg(d1)
	TAS-102+Bev/4w	TAS-102(d1-5,8-12)+Bev(d1.15)
	UFT/LV+Bev/4w	UFT/LV(d1-21)+Bev(d1.15)
	S-1+Bev/6w	S-1(d1-28)+Bev(d1.15,29)
	FOLFIRI+Aflibercept/2w	CPT-11 150(d1)+5FU400/2400(d1)+LV200(d1)+Aflibercept4mg/kg(d1)
	S-1+CDDP/5w	S-1(d1-21)+CDDP60(d1)
IRIS+Bev/3w	S-1(d1-14)+CPT-11 150(d1)+Bev7.5mg/kg	
XELIRI+Bev/3w	Cape(d1-14)+CPT-11 200(d1)+Bev7.5mg/kg	
FOLFOXIRI+Bev/2w	L-OHP85(d1)+CPT-11 150(d1)+5FU2400(d1)+LV200(d1)+Bev5mg/kg(d1)	
胃癌	S-1+CDDP/5w	S-1(d1-21)+CDDP60(d1)
	weekly PTX/4w	PTX80(d1.8,15)
	XP+HER/3w	Capecitabine(d1-14)+CDDP80(d1)+HER8or6mg(d1)/kg
	nab-PTX/3w	nab-PTX260(d1)
	S-1+CDDP+HER/3w	S-1(d1-14)+CDDP60(d1)+HER8or6mg/kg(d1)
	G-SOX/3w	S-1(d1-14)+L-OHP100(d1)
	wPTX+Ramucirumab/4w	PTX80(d1.8,15)+Ramucirumab8mg/kg(d1.15)
	Ramucirumab/2w	Ramucirumab8mg/kg(d1)
	3wDOC60/3w	DOC60(d1)
	XELOX+HER/3w	Capecitabine(d1-14)+L-OHP130(d1)+HER8or6mg/kg(d1)
	XELOX/3w	Capecitabine(d1-14)+L-OHP130(d1)
	FOLFOX/2w	L-OHP85(d1)+5FU400/2400(d1)+LV200(d1)
	Nivolumab/2w	Nivolumab240mg/body(d1)
	CDDP+CPT-11/4w	CDDP80(d1)+CPT-11 70(d1.15)
nab-PTX+Ramucirumab/4w	nab-PTX100(d1.15)+Ramucirumab8mg/kg(d1.15)	
食道癌	S-1+DOC/3w	S-1(d1-14)+DOC40(d1)
	standard FP/4w	CDDP80(d1)+5FU800(d1-5)
	lowdose FP	CDDP6(d1-5)+5FU250(d1-5)/1w x 4
	3wDOC/3w	DOC70(d1)
	mDCF/3w	DOC60(d1)+CDDP60(d1)+5FU750(d1-4)
	wPTX(100)/8w	PTX100(d1.8,15,22,29,36)
	FP+Radiation/4w	CDDP70(d1)+5FU700(d1-4)+Radiation
	DCF(d1.15)/4w	DOC30(d1.15)+CDDP80(d1)+5-FU800(d1-5)
	5-FU+CDGP/4w	CDGP90(d1)+5FU800(d1-5)
	FP(NAC)/3w	CDDP80(d1)+5FU800(d1-5)
	Nivolumab/2w	Nivolumab240mg/body(d1)
肝・胆・膵癌	GEM/4w	GEM1000(d1.8,15)
	GEM+S-1/3w	GEM1000(d1.8)+S-1(d1-14)
	GEM+CDDP/3w	GEM1000(d1.8)+CDDP25(d1.8)
	GEM+nab-PTX/4w	GEM1000(d1.8,15)+nab-PTX125(d1.8,15)
	mFOLFIRINOX/2w	L-OHP85(d1)+CPT11 150(d1)+LV200(d1)+5FU(2400)
	肝動注 lowdose FP	CDDP+5-FU
	肝動注FP	CDDP20mg/body(アイエーコ-ル,d1)+5FU250mg/body(d1-5)
	肝動注CDDP	CDDP65(アイエーコ-ル,d1)
	肝動注EPI	EPI60(d1)
	肝動注MIRIPLATIN	MIRIPLATIN70mg(d1)
	肝動注ADM+5-FU	ADM+5FU
軟部腫瘍	Peg-IFN+5-FU肝動注	Peg-IFN+5FU
	ADM/3w	ADM0.4mg/kg(d1.2,3)
膵・消化管神経内分泌腫瘍	STZ/6w	STZ500(d1-5)
	STZ/1w	STZ1000(d1)
	VP-16+CDDP/3w	VP-16 100(d1-3)+CDDP80(d1)
	CPT-11+CDDP/4w	CPT-11 60(d1.8,15)+CDDP60(d1)
MSI-high癌	Pembrolizumab/3w	Pembrolizumab 200mg/body (d1)
	CMF/4w	CPA(d1-14)+MTX40(d1.8)+5FU600(d1.8)
乳癌	EC/3w	EPI90(d1)+CPA600(d1)
	FEC100/3w	EPI100(d1)+CPA500(d1)+5FU500(d1)
	3w HER/3w	HER8or6mg/kg(d1)
	weekly PTX/1w	PTX80(d1)
	wPTX+HER/1w	PTX80(d1)+HER4or2mg/kg(d1)
	wPTX+3wHER/3w	PTX80(d1)+HER8or6mg/kg(d1)
	wPTX+2wBEV/4w	PTX90(d1.8,15)+BEV10mg/kg(d1.15)
	3w DOC/3w	DOC70(d1)
	3wDOC+3wHER/3w	DOC75(d1)+HER8or6mg/kg(d1)
	VNR/3w	VNR25(d1.8)
	VNR+3wHER/3w	VNR25(1.8)+HER8or6mg/kg(d1)
	TC/3w	DOC75(d1)+CPA600(d1)
	TCH/3w	DOC75(d1)+CBDCA(d1/AUC6)+HER8or6mg/kg(d1)
	GEM/3w	GEM1250(d1.8)
	GEM+3wHER/3w	GEM1250(d1.8)+HER8or6mg/kg(d1)
	Eribulin/3w	Eribulin1.4(d1.8)
	nab-PTX/3w	nab-PTX260(d1)
	nab-PTX+3wHER/3w	nab-PTX260(d1)+HER8or6mg/kg(d1)
	Eribulin+3wHER/3w	Eribulin1.4(d1.8)+HER8or6mg/kg(d1)
	Pertuzumab+HER+DOC/3w	Pertuzumab840or420mg/body(d1)+HER8or6mg/kg(d1)+DOC75(d1)
	T-DM1/3w	T-DM1 3.6mg/kg
	Pertuzumab+3wHER+wPTX/3w	Pertuzumab840or420mg/body(d1)+HER8or6mg/kg(d1)+PTX80(d1.8,15)
	Pertuzumab+3wHER+Eribulin/3w	Pertuzumab840or420mg/body(d1)+HER8or6mg/kg(d1)+Eribulin1.4(d1.8)
	AC/3w	DXR60(d1)+CPA600(d1)
	dose-dense EC	EPI90(d1)+CPA600(d1)
	dose-dense PTX	PTX175(d1)

非小細胞肺癌	PEM+CDDP/3w	PEM500(d1)+CDDP75(d1)
	PEM+CDDP+Bev/3w	PEM500(d1)+CDDP75(d1)+Bev15mg/kg(d1)
	PEM+CBDC/3w	PEM500(d1)+CBDC(d1/AUC5)
	PEM+Bev/3w	PEM500(d1)+Bev15mg/kg(d1)
	PEM+CBDC+Bev/3w	PEM500(d1)+CBDC(d1/AUC5)+Bev15mg/kg(d1)
	PEM/3w	PEM500(d1)
	S-1+CBDC/3w	S-1(d1-14)+CBDC(d1/AUC5)
	S-1+CDDP/4w(+ Radiation)	S-1(d1-14)+CDDP60(d1)
	S-1+CDDP/5w	S-1(d1-21)+CDDP60(d8)
	DOC+CDDP/4w	DOC60(d1)+CDDP80(d1)
	DOC/3w	DOC60(d1)
	GEM+CDDP/3w	GEM1000(d1.8)+CDDP80(d1)
	GEM+CBDC/3w	GEM1000(d1.8)+CBDC(d1/AUC5)
	GEM/3w	GEM1000(d1.8)
	VNR+CDDP/3w	VNR25(d1.8)+CDDP80(d1)
	PTX+CBDC/3w	PTX200(d1)+CBDC(d1/AUC6)
	PTX+CBDC+Bev/3w	PTX200(d1)+CBDC(d1/AUC6)+Bev15mg/kg(d1)
	Bevacizumab/3w	Bevacizumab15mg/kg(d1)
	DOC+CDDP/4w (TRT併用)	DOC40(d1.8)+CDDP40(d1.8)
	nab-PTX+CBDC/3w	nab-PTX100(d1.8,15)+CBDC(d1/AUC5)
	nab-PTX/3w	nab-PTX100(d1.8,15)
	DTX+Ramucirumab/3w	DTX60(d1)+Ramucirumab10mg/kg(d1)
	Nivolumab/2w	Nivolumab240mg/body(d1)
	Atezolizumab/3w	Atezolizumab1200mg/body(d1)
	Atezolizumab+PTX+CBDC+Bev/3w	Atezolizumab1200mg/body(d1)+PTX200(d1)+CBDC(d1/AUC6)+Bev15mg/kg(d1)
	Atezolizumab+Bev/3w	Atezolizumab1200mg/body(d1)+Bev15mg/kg(d1)
	Durvalumab/2w	Durvalumab10mg/kg(d1)
	PEM+CDDP+Pembrolizumab/3w	PEM500(d1)+CDDP75(d1)+Pembrolizumab200mg/body(d1)
	PEM+CBDC+Pembrolizumab/3w	PEM500(d1)+CBDC(d1/AUC5)+Pembrolizumab200mg/body(d1)
	PEM+Pembrolizumab/3w	PEM500(d1)+Pembrolizumab200mg/body(d1)
nab-PTX+CBDC+Pembrolizumab/3w	nab-PTX100(d1.8,15)+CBDC(d1/AUC6)+Pembrolizumab200mg/body(d1)	
Pembrolizumab/3w	Pembrolizumab200mg/body(d1)	
小細胞肺癌	VP-16+CDDP/3w	VP-16 100(d1-3)+CDDP80(d1)
	VP-16+CBDC/3w	VP-16 100(d1-3)+CBDC(d1/AUC5)
	Atezolizumab+VP-16+CBDC/3w	Atezolizumab1200mg/body(d1)+VP-16 80(d1-3)+CBDC(d1/AUC5)
	VP-16+CBDC/3w (透折用)	VP-16 50(d1-3)+CBDC 300(d1)
	Split VP-16+CDDP/3w	VP-16 80(d1-3)+CDDP25(d1-3)
	CPT-11+CDDP/4w	CPT-11 60(d1.8,15)+CDDP60(d1)
	CPT-11+CBDC/4w	CPT-11 60(d1.8,15)+CBDC(d1/AUC4)
	CPT-11/4w	CPT-11 60(d1.8,15)
	AMR/3w	AMR40(d1-3)
	Topotecan/4w	Topotecan1(d1-5)
胸腺腫	ADOC/3-4w	CDDP50(d1)+ADM40(d1)+VCR0.6(d3)+CPA700(d4)
卵巣癌	TC/3w	PTX175(d1)+CBDC(d1/AUC5)
	DC/3w	DOC70(d1)+CBDC(d1/AUC5)
	DOXIL/4w	DOXIL50(d1)
	DOXIL+GEM/3w	DOXIL30(d1)+GEM1000(d1.8)
	CPT-11+VP-16(p.o)/4w	CPT-11 60(d1.15)+VP-16(p.o)[d1-21]
	TP/4w	PTX175(d1)+CDDP75(d1)
	GEM+DOC/4w	GEM800(d1.8)+DOC70(d8)
	3w Topotecan/3w	Topotecan1.5(d1-5)
	GEM+CBDC/3w	GEM1000(d1.8)+CBDC(d1/AUC4)
	dose-dense TC/3w	PTX80(d1.8,15)+CBDC(d1/AUC6)
	TC+Bevacizumab/3w	PTX175(d1)+CBDC(d1/AUC6)+Bev15mg/kg(d1)
	Bevacizumab3w	Bevacizumab15mg/kg(d1)
	3wPTX/3w	PTX210(d1)
	TC+Bevacizumab (CBDC脱感作療法) /3w	PTX175(d1)+CBDC(d1/AUC6)+Bev15mg/kg(d1)
	DC(CBDC脱感作療法) /3w	DOC70(d1)+CBDC(d1/AUC5)
GEM+CBDC+Bevacizumab / 3w	GEM1000(d1.8)+CBDC(d1/AUC4)+Bev15mg/kg(d1)	
DOC/3w	DOC70(d1)	
子宮体癌	AP/4w	EP160(d1)+CDDP50(d1)
子宮頸癌	wCPT-11/6w	CPT-11 100(d1.8,15,22)
	2wCPT-11/2w	CPT-11 150(d1)
	CDDP+CPT-11/4w	CDDP60(d1)+CPT-11 60(d1.8,15)
	CDDP(+Radiation)/1w	CDDP40(d1)
	TP+Bev/3w	PTX175(d1)+CDDP50(d1)+Bev15mg/kg(d1)
	Top-PTX+Bev/3w	PTX175(d1)+Top0.75(d1-3)+Bev15mg/kg(d1)
	TC+Bev/3w (P製剤不可時)	PTX175(d1)+CBDC(d1/AUC6)+Bev15mg/kg(d1)
	CPT-11+NDP/3w	CPT-11 60(d1.8)+NDP80(d1)
	NDP(+Radiation)/1w	NDP30(d1)
	MTX+LF(p.o)/3w	MTX1mg/kg(d1.3,5.7)+LF(p.o)[d2,4,6,8]
絨毛性疾患	MTX/2w	MTX20mg/body(d1-5)
	ACT-D/2w	ACT-D0.01mg/kg(d1-5)
	MTX/1w	MTX50mg/m(d1)
子宮頸部横紋筋肉腫	VAC/3w	VCR1.5(d1.8,15)+ACT-D0.045mg/kg(d1)+CPA1200(d1)
子宮平滑筋肉腫	GD/3w	GEM800(d1.8)+DOC70(d1)
子宮癌肉腫	CDDP+IFM/4w	CDDP50(d1)+IFM1000(d1-5)
尿路上皮癌	GC/4w	GEM1000(d1.8,15)+CDDP70(d2)
	3wGC/3w	GEM1000(d1.8)+CDDP70(d2)
	GEM/4w	GEM1000(d1.8,15)
	GC(CBDC)/3w	GEM1000(d1.8)+CBDC(d1/AUC5)
	PTX+GEM/4w	PTX180(d1)+GEM1000(d1.8,15)
前立腺癌	Pembrolizumab/3w	Pembrolizumab200mg(d1)
腎癌	3wDOC/3w	DOC70(d1)
	Cabazitaxel+PSL/3w	Cabazitaxel25(d1)+PSL10mg(P.O.)
精巣腫瘍	Temsirolimus/1w	Temsirolimus 25mg/body(d1)
	Nivolumab/2w	Nivolumab240mg/body(d1)
軟部肉腫	BEP/4w	CDDP20(d1-5)+VP-16 100(d1-5)+BLM30(d2,9,16)
	ADM/3w (単日投与)	ADM75(d1)
頭頸部癌	IFM/3w	IFM1500(d1-3)
	DCF(+Radiation)/4w	DOC60(d1)+CDDP70(d1)+5-FU750(d1-5)
	DCF/4w	DOC50(d1)+CDDP60(d1)+5-FU600(d1-5)
	Cet(+Radiation)/1w	Cet400/200(初回/2回目以降)[d1]
	Cet+FP/3w	Cet400/200(初回/2回目以降)[d1.8,15]+CDDP100(d1)+5-FU1000(d1-4)
	Cet+CBDC+5-FU/3w	Cet400/200(初回/2回目以降)[d1.8,15]+CBDC(d1/AUC5)+5-FU1000(d1-4)
	3wDOC/3w	DOC60(d1)
	CBDC/4w	CBDC400(d1)
唾液腺導管癌	CDDP+RT/3w	CDDP100(d1)
	PTX+Cmab/1w	PTX80(d1)+Cmab400/250(初回/2回目以降)[d1]
	Nivolumab/2w	Nivolumab240mg/body(d1)
	PTX+CBDC+Cmab/3w	PTX100(d1.8)+CBDC(d1.8/AUC2.5)+Cmab400/200(初回/2回目以降)[d1.8,15]
悪性黒色腫	PTX+CBDC/3w	PTX200(d1)+CBDC(d1/AUC5)
	DTIC/3w	DTIC1000(d1)
	Dac-Tam/4w	CDDP85(d1)+DTIC160(d2-5)+ACNU60(d2)+Tam(d1-28)
	Nivolumab/3w	Nivolumab240mg/body(d1)
	Ipilimumab/3w	Ipilimumab3mg/kg(d1)
乳房外パジェット病	Pembrolizumab/3w	Pembrolizumab2mg/kg(d1)
	Nivolumab+Ipilimumab/3w	Nivolumab80mg/body(d1)+Ipilimumab3mg/kg(d1)
	4wDOC/4w	DOC60(d1)
血管肉腫	wPTX/4w	PTX80(d1.8,15)
悪性軟部肉腫	Eribulin/3w	Eribulin(d1.8)
悪性神経腫	Bevacizumab+Temozoromide/4w	Bevacizumab10mg/kg(1,15)+Temozoromide(d1-15)

ホジキンリンパ腫	Brentuximab Vedotin/3w	Brentuximab Vedotin1.8mg/kg(d1)
	ABVD/4w	VLB6(d1,15)+DXR25(d1,15)+BLM10(d1,15)+DTIC375(d1,15)
	ABVd/4w	VLB6(d1,15)+DXR25(d1,15)+BLM10(d1,15)+DTIC250(d1,15)
非ホジキンリンパ腫	Rituximab/1w	Rituximab375(d1)
	Bendamustine/3w	Bendamustine120(d1,2)
	R-Bendamustine/4w (入院用)	Rituximab375(d1)+Bendamustine90(d2,3)
	R-Bendamustine/4w (外来用)	Rituximab375(d1)+Bendamustine90(d1,2)
	CHOP/3w	VCR1.4(d1)+DXR50(d1)+CPA750(d1)+PSL100mg(d1-5)
	R-CHOP/3w (入院用)	Rituximab375(d2)+VCR1.4(d1)+DXR50(d1)+CPA750(d1)+PSL100mg(d1-5)
	R-CHOP/3w (外来用)	Rituximab375(d1)+VCR1.4(d1)+DXR50(d1)+CPA750(d1)+PSL100mg(d1-5)
	CVP/3w	VCR1.4(d1)+CPA750(d1)+PSL100mg(d1-5)
	R-CVP/3w	Rituximab375(d2)+VCR1.4(d1)+CPA750(d1)+PSL100mg(d1-5)
	THP-COP/3w	VCR1.4(d1)+THP50(d1)+CPA750(d1)+PSL100mg(d1-5)
	R-THP-COP/3w (入院用)	Rituximab375(d2)+VCR1.4(d1)+THP50(d1)+CPA750(d1)+PSL100mg(d1-5)
	R-THP-COP/3w (外来用)	Rituximab375(d1)+VCR1.4(d1)+THP50(d1)+CPA750(d1)+PSL100mg(d1-5)
	MTX大量療法/2w	MTX3500(d1)
	R-GDP/3w	GEM1000(d1,8)+CDDP75(d1)+Rituximab(d8)
	R-ESHAP/3w	Rituximab(d1)+VP-16 40(d1-4)+CDDP25(d1-4)+Ara-C2000(d5)
	mLSG15/4w	VCR(d1)+CPA(d1)+DXR(d1,8)+PSL(d1,8,15-17)MUNC(d8)+VDS(d15)+VP-16(d15-17)+CBDCA(d15)
	Mogamulizumab/1w (他の化学療法と併用字は2W)	Mogamulizumab1mg/kg(d1)
	髄注①/1d	Ara-C40mg/body+MTX15mg/body+PSL10mg/body
	EPOCH/3w	VP-16 50(d1-4)+VCR0.4(d1-4)+DXR10(d1-4)+CPM750(d5)+PSL60(d1-5)
多発性骨髄腫	BD(寛解導入)/3w	BOR1.3(d1,4,8,11)
	BD(維持療法)/5w	BOR1.3(d1,8,15,22)
	Azacitidine/4w	Azacitidine75(d1-7)
	DLd(1,2クール目)/4w	Daratumumab16mg/kg(d1,8,15,22)
	DLd(3-6クール目)/4w	Daratumumab16mg/kg(d1,15)
	DLd(7クール目以降)/4w	Daratumumab16mg/kg(d1)
	VRd/3w	BOR1.3(d1,4,8,11)+LEN25mg/kg(d1-14)
急性骨髄性白血病/MDS	CAG/2w	ACR14(d1-4)+Ara-C20(d1-14)
	Azacitidine/4w	Azacitidine75(d1-7)
	DNR+Ara-C寛解導入/4w	DNR50(d1-5)+Ara-C100(d1-7)
	IDR+Ara-C寛解導入/4w	IDR12(d1-3)+Ara-C100(d1-7)
	Ara-C大量療法/4w	Ara-C2000*2(d1-5)
	MIT+Ara-C地固め療法/4w	MIT7(d1-3)+Ara-C200(1-5)
	DNR+Ara-C地固め療法/4w	DNR50(d1-3)+Ara-C200(d1-5)
	ACR+Ara-C地固め療法/4w	ACR20(d1-5)+Ara-C200(d1-5)
	A-tripleV地固め療法/4w	VP-16 100(d1-5)+Ara-C200(d1-5)+VCR0.8(d8)+VDS2(d10)

2020.3現在